

Detailed Selected Statistics & Management Activity

Report Parameters:

Report Period: 1/1/09 - 12/31/09

Version: 5.0

Status: All

Released: All

Report Filters: No Filters Applied

NOTE: Report Filter Groups are applied to the report SQL as "AND" conditions (i.e. Group 1 AND Group 2 AND Group 3 etc...)

State: MO

Report FDIDs: All

Detailed Selected Statistics & Management Activity

Selected Coded Field: Incident Type

Report Period: 1/1/09 - 12/31/09

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
100	Fire, other	771	0.28%	7	4.87	0.17	0.55	2.51	0.08	0.40	7.07	5,452.33	7.42
111	Building fires	3,698	1.33%	84	9.73	0.21	0.90	25.13	0.11	3.68	35.51	131,299.75	6.83
112	Fires in structures other than in a building	145	0.05%	4	7.57	0.22	0.66	9.68	0.11	6.77	11.83	1,714.95	8.53
113	Cooking fire, confined to container	1,676	0.60%	0	7.14	0.08	0.30	3.57	0.04	0.71	3.06	5,132.40	4.84
114	Chimney or flue fire, confined to chimney or	451	0.16%	0	7.48	0.22	0.79	21.02	0.11	0.55	7.50	3,382.25	10.60
115	Incinerator overload or malfunction, fire con	18	0.01%	0	8.56	0.00	0.89	2.89	0.00	0.39	8.19	147.50	7.50
116	Fuel burner/boiler malfunction, fire confined	106	0.04%	0	10.79	0.04	0.38	3.92	0.02	0.19	6.22	658.88	5.48
117	Commercial Compactor fire, confined to rubbis	11	0.00%	0	11.00	0.64	0.73	4.18	0.36	0.73	11.89	130.75	8.27
118	Trash or rubbish fire, contained	376	0.13%	0	3.91	0.03	0.21	1.69	0.02	0.12	2.97	1,117.80	5.41
120	Fire in mobile prop. used as a fixed struc.,	16	0.01%	1	6.50	0.13	0.94	60.81	0.06	58.44	9.03	144.47	8.13
121	Fire in mobile home used as fixed residence	143	0.05%	2	7.71	0.20	0.90	16.52	0.10	13.65	18.51	2,646.47	9.19
122	Fire in motor home, camper, recreational vehi	19	0.01%	1	6.11	0.26	1.68	2.68	0.05	0.84	9.51	180.73	7.63
123	Fire in portable building, fixed location	10	0.00%	0	6.80	0.10	1.30	3.30	0.10	0.30	10.93	109.32	8.20
130	Mobile property (vehicle) fire, other	530	0.19%	2	2.46	0.09	0.24	44.19	15.33	15.28	2.22	1,174.60	7.16
131	Passenger vehicle fire	2,117	0.76%	32	4.10	0.07	0.49	2.91	0.03	0.34	3.47	7,350.95	6.26
132	Road freight or transport vehicle fire	200	0.07%	2	5.01	0.04	0.73	2.14	0.03	0.55	6.70	1,340.50	6.71
133	Rail vehicle fire	6	0.00%	0	6.83	0.00	1.67	2.50	0.00	1.00	7.81	46.87	9.17
134	Water vehicle fire	28	0.01%	3	6.07	0.00	0.50	3.07	0.00	0.46	9.04	253.12	9.18
135	Aircraft fire	7	0.00%	0	5.00	0.57	2.57	5.71	0.29	1.00	9.25	64.73	3.29
136	Self-propelled motor home or recreational veh	10	0.00%	0	5.70	0.00	0.30	2.50	0.00	0.30	8.09	80.93	8.90
137	Camper or recreational vehicle (RV) fire	30	0.01%	0	6.67	0.20	0.37	3.23	0.10	0.20	8.77	263.15	10.00
138	Off-road vehicle or heavy equipment fire	147	0.05%	1	5.40	0.05	0.63	59.38	0.02	0.38	5.80	851.93	9.03
140	Natural vegetation fire, other	648	0.23%	0	4.36	0.04	0.32	1.98	0.02	0.24	4.49	2,908.80	7.51
141	Forest, woods or wildland fire	628	0.23%	1	5.61	0.05	0.80	4.43	0.82	2.07	10.25	6,434.32	10.24
142	Brush, or brush and grass mixture fire	2,797	1.00%	11	5.16	0.05	0.74	17.83	0.02	0.45	15.24	42,638.30	72.79
143	Grass fire	2,736	0.98%	19	5.32	0.06	0.80	10.00	0.03	0.82	6.99	19,135.07	22.62
150	Outside rubbish fire, other	789	0.28%	0	3.05	0.01	0.23	1.28	0.01	0.17	1.67	1,319.23	7.27
151	Outside rubbish, trash or waste fire	1,391	0.50%	2	3.95	0.02	0.30	1.66	0.01	0.20	2.32	3,230.77	6.80
152	Garbage dump or sanitary landfill fire	19	0.01%	0	4.89	0.11	0.53	1.53	0.05	0.47	30.32	576.00	17.42
153	Construction or demolition landfill fire	48	0.02%	0	5.69	0.00	0.19	2.27	0.00	0.17	5.64	270.58	7.90
154	Dumpster or other outside trash receptacle fi	775	0.28%	0	3.55	0.03	0.13	1.32	0.01	0.07	1.66	1,282.85	7.55
155	Outside stationary compactor/compacted trash	9	0.00%	0	3.56	0.00	0.00	2.78	0.00	0.00	1.09	9.78	4.56

Detailed Selected Statistics & Management Activity

Selected Coded Field: Incident Type

Report Period: 1/1/09 - 12/31/09

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
160	Special outside fire, other	226	0.08%	0	4.19	0.05	0.36	5.97	0.02	4.28	2.92	659.03	6.81
161	Outside storage fire	39	0.01%	1	8.62	0.15	0.36	3.10	0.08	0.44	24.93	972.32	8.31
162	Outside equipment fire	157	0.06%	1	4.94	0.10	0.40	2.13	0.04	0.26	3.19	500.92	6.46
163	Outside gas or vapor combustion explosion	14	0.01%	0	4.57	0.00	0.29	2.71	0.00	0.07	2.96	41.38	7.14
164	Outside mailbox fire	2	0.00%	0	4.00	0.00	0.00	1.50	0.00	0.00	2.15	4.30	7.50
170	Cultivated vegetation, crop fire, other	86	0.03%	0	5.26	0.07	0.55	2.78	0.03	0.36	14.58	1,253.60	8.97
171	Cultivated grain or crop fire	35	0.01%	1	5.14	0.06	0.63	2.46	0.03	0.37	7.14	249.87	11.00
172	Cultivated orchard or vineyard fire	1	0.00%	0	8.00	0.00	0.00	5.00	0.00	0.00	1.47	1.47	1.00
173	Cultivated trees or nursery stock fire	9	0.00%	0	3.78	0.00	1.00	1.67	0.00	0.33	2.43	21.88	7.78
200	Overpressure rupture, explosion, overheat oth	73	0.03%	0	3.81	0.11	2.58	1.36	0.05	1.19	4.21	307.40	6.03
210	Overpressure rupture from steam, other	18	0.01%	0	4.00	0.00	0.11	1.22	0.00	0.06	1.24	22.32	6.67
211	Overpressure rupture of steam pipe or pipelin	11	0.00%	0	0.55	0.18	2.09	0.64	0.09	1.00	1.03	11.30	5.27
212	Overpressure rupture of steam boiler	3	0.00%	0	4.67	0.00	5.67	1.67	0.00	1.67	4.72	14.17	5.00
213	Steam rupture of pressure or process vessel	2	0.00%	0	4.50	0.00	1.00	2.50	0.00	0.50	4.03	8.07	3.50
220	Overpressure rupture from air or gas, other	16	0.01%	0	4.00	0.00	1.31	1.50	0.00	0.81	2.74	43.88	6.50
221	Overpressure rupture of air or gas pipe/pipel	27	0.01%	0	2.78	0.22	1.52	0.85	0.11	0.74	2.89	77.93	5.63
222	Overpressure rupture of boiler from air or ga	0	0.00%	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
223	Air or gas rupture of pressure or process ves	8	0.00%	0	0.50	0.00	2.38	0.25	0.00	1.00	1.99	15.90	5.38
231	Chemical reaction rupture of process vessel	5	0.00%	0	0.80	0.00	2.00	0.20	0.00	0.80	1.00	5.00	5.20
240	Explosion (no fire), other	31	0.01%	0	2.48	0.13	1.68	0.87	0.06	0.90	3.27	101.32	8.48
241	Munitions or bomb explosion (no fire)	3	0.00%	0	1.67	0.00	0.67	1.00	0.00	0.67	3.54	10.63	19.00
243	Fireworks explosion (no fire)	22	0.01%	0	0.95	0.00	0.59	0.45	0.00	0.32	0.65	14.30	6.05
251	Excessive heat, scorch burns with no ignition	298	0.11%	0	3.56	0.13	2.54	4.79	0.06	1.26	2.92	869.70	5.20
300	Rescue, emergency medical call (EMS) call, ot	13,707	4.91%	0	1.01	0.55	0.47	1.16	0.91	0.86	0.83	11,325.00	5.35
311	Medical assist, assist EMS crew	56,288	20.18%	0	0.80	1.81	0.24	0.29	0.85	0.18	1.94	109,381.07	20.69
321	EMS call, excluding vehicle accident with inj	76,944	27.58%	0	0.82	1.99	0.09	0.48	1.00	0.07	1.82	139,816.73	6.18
322	Vehicle accident with injuries	10,250	3.67%	0	1.37	2.47	0.72	2.04	1.91	1.17	4.65	47,633.47	5.83
323	Motor vehicle/pedestrian accident (MV Ped)	721	0.26%	0	0.81	1.85	0.42	0.34	0.80	0.18	14.24	10,269.50	4.34
324	Motor vehicle accident with no injuries	8,353	2.99%	0	1.19	1.80	0.58	0.53	0.82	0.31	1.80	15,003.90	5.45
331	Lock-in (if lock out , use 511)	313	0.11%	0	0.96	0.22	1.93	0.32	0.10	0.74	0.90	280.70	5.40
340	Search, other	20	0.01%	0	0.70	0.15	1.65	0.30	0.10	0.55	0.99	19.85	7.20
341	Search for person on land	137	0.05%	0	2.07	1.20	3.88	0.65	0.49	1.93	20.13	2,757.70	9.15

Detailed Selected Statistics & Management Activity

Selected Coded Field: Incident Type

Report Period: 1/1/09 - 12/31/09

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
342	Search for person in water	27	0.01%	0	2.00	1.33	2.52	0.85	0.89	1.85	17.44	470.92	8.70
343	Search for person underground	1	0.00%	0	16.00	0.00	0.00	6.00	0.00	2.00	7.47	7.47	16.00
350	Extrication, rescue, other	236	0.08%	0	1.57	0.86	1.83	0.58	0.44	0.70	2.85	671.92	5.98
351	Extrication of victim(s) from building/struct	36	0.01%	0	1.86	1.17	3.42	0.69	0.61	1.42	15.54	559.45	5.11
352	Extrication of victim(s) from vehicle	884	0.32%	0	3.03	1.07	3.39	5.13	0.49	1.69	7.90	6,984.25	6.92
353	Removal of victim(s) from stalled elevator	288	0.10%	0	3.59	0.09	1.82	1.27	0.07	0.67	2.05	590.27	4.74
354	Trench/below grade rescue	9	0.00%	0	4.56	0.78	4.22	1.44	1.22	2.44	14.72	132.47	5.56
355	Confined space rescue	4	0.00%	0	1.00	0.00	2.50	0.25	0.00	1.00	1.48	5.93	3.00
356	High angle rescue	12	0.00%	0	1.08	0.33	3.75	0.42	0.25	2.17	3.80	45.57	7.92
357	Extrication of victim(s) from machinery	37	0.01%	0	1.95	0.76	3.30	0.84	0.24	1.57	4.30	158.98	9.97
360	Water & ice related rescue, other	110	0.04%	0	2.15	0.28	3.25	0.80	0.22	1.76	7.77	854.78	8.10
361	Swimming/recreational water areas rescue	29	0.01%	0	2.55	2.14	2.83	0.76	1.34	1.55	9.09	263.68	8.52
362	Ice rescue	5	0.00%	0	0.00	0.00	8.80	1.80	0.20	3.60	3.19	15.95	5.40
363	Swift water rescue	90	0.03%	0	2.23	1.34	3.69	0.84	0.81	1.79	6.61	595.05	9.03
364	Surf rescue	2	0.00%	0	5.50	0.00	0.00	2.50	0.00	0.00	7.30	14.60	5.00
365	Watercraft rescue	32	0.01%	0	1.31	1.34	3.47	0.69	0.72	2.00	7.91	253.15	10.19
370	Electrical rescue, other	7	0.00%	0	0.57	0.00	0.00	0.29	0.00	0.00	0.86	6.00	5.29
371	Electrocution or potential electrocution	10	0.00%	0	0.20	0.30	1.10	0.20	0.20	0.60	1.31	13.05	7.40
372	Trapped by power lines	14	0.01%	0	9.43	0.00	1.43	0.71	0.00	0.50	32.69	457.62	4.00
381	Rescue or EMS standby	6,272	2.25%	0	2.59	0.28	0.09	1.13	0.13	0.20	1.18	7,370.67	5.12
400	Hazardous condition, other	904	0.32%	0	0.89	0.05	2.45	0.44	0.03	1.10	1.82	1,640.80	4.09
410	Flammable gas or liquid condition, other	215	0.08%	0	1.19	0.06	0.85	0.46	0.03	0.46	1.49	321.10	5.60
411	Gasoline or other flammable liquid spill	674	0.24%	0	1.47	0.06	2.24	0.56	0.03	0.93	3.00	2,023.35	8.07
412	Gas leak (natural gas or LPG)	2,027	0.73%	0	1.91	0.07	2.41	0.74	0.04	1.06	3.04	6,158.80	8.21
413	Oil or other combustible liquid spill	229	0.08%	0	1.01	0.02	1.96	0.39	0.01	0.83	1.95	447.18	6.47
420	Toxic condition, other	98	0.04%	0	0.54	0.02	0.92	0.20	0.01	0.50	1.81	177.40	6.24
421	Chemical hazard (no spill or leak)	70	0.03%	0	2.03	0.29	2.43	0.89	0.13	1.20	6.24	436.83	6.19
422	Chemical spill or leak	153	0.05%	0	1.65	0.05	2.42	0.92	0.03	1.16	6.26	958.13	6.67
423	Refrigeration leak	16	0.01%	0	4.00	0.00	2.06	1.31	0.00	0.94	3.29	52.63	5.25
424	Carbon monoxide incident	1,557	0.56%	0	0.98	0.07	1.50	5.16	0.03	0.58	1.48	2,296.73	7.40
430	Radioactive condition, other	1	0.00%	0	0.00	0.00	4.00	0.00	0.00	2.00	2.27	2.27	5.00
431	Radiation leak, radioactive material	1	0.00%	0	0.00	0.00	2.00	0.00	0.00	1.00	1.00	1.00	5.00

Detailed Selected Statistics & Management Activity

Selected Coded Field: Incident Type

Report Period: 1/1/09 - 12/31/09

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
440	Electrical wiring/equipment problem, other	1,053	0.38%	0	2.55	0.07	2.11	5.44	0.04	1.00	2.66	2,803.45	5.34
441	Heat from short circuit (wiring), defective/w	297	0.11%	0	3.96	0.20	2.94	1.70	0.08	1.27	4.34	1,288.48	5.64
442	Overheated motor	340	0.12%	0	4.51	0.13	2.99	1.78	0.06	1.32	3.87	1,315.35	5.19
443	Light ballast breakdown	100	0.04%	0	3.79	0.22	3.35	1.63	0.11	1.57	3.51	351.17	4.41
444	Power line down	1,461	0.52%	0	1.30	0.02	2.52	1.10	0.01	0.88	2.55	3,719.42	6.36
445	Arcing, shorted electrical equipment	979	0.35%	0	2.71	0.07	2.11	1.02	0.03	0.88	2.60	2,545.85	5.96
451	Biological hazard, confirmed or suspected	17	0.01%	0	0.59	0.00	2.94	0.41	0.00	1.41	5.70	96.93	26.82
460	Accident, potential accident, other	193	0.07%	0	2.03	0.26	2.39	0.84	0.10	1.09	3.82	736.65	6.18
461	Building or structure weakened or collapsed	86	0.03%	0	2.07	0.45	3.44	0.83	0.24	1.58	6.93	595.83	5.43
462	Aircraft standby	673	0.24%	0	1.89	0.13	1.33	0.71	0.08	0.71	2.45	1,652.03	7.54
463	Vehicle accident, general cleanup	1,077	0.39%	0	1.72	0.12	2.91	0.58	0.09	1.28	3.24	3,490.38	6.06
471	Explosive, bomb removal (for bomb scare, use	46	0.02%	0	0.78	0.11	1.89	0.35	0.04	1.48	5.50	253.03	15.54
480	Attempted burning, illegal action, other	72	0.03%	0	1.32	0.00	0.93	0.53	0.00	0.43	0.87	62.55	6.64
481	Attempt to burn	25	0.01%	0	1.64	0.00	1.00	0.72	0.00	0.36	1.04	25.90	6.32
482	Threat to burn	5	0.00%	0	0.00	0.00	0.60	1.00	0.00	0.20	0.14	0.70	5.60
500	Service Call, other	2,559	0.92%	0	1.22	0.09	1.09	0.49	0.04	0.51	1.18	3,031.03	6.25
510	Person in distress, other	1,595	0.57%	0	1.77	0.19	0.95	0.62	0.08	0.39	1.01	1,610.33	5.94
511	Lock-out	1,204	0.43%	0	1.40	0.03	1.34	0.48	0.01	0.52	0.65	780.32	5.65
512	Ring or jewelry removal	35	0.01%	0	1.71	0.09	1.23	0.40	0.03	0.51	1.23	43.22	5.57
520	Water problem, other	244	0.09%	0	1.59	0.03	1.75	0.64	0.02	0.70	2.00	487.93	5.63
521	Water evacuation	27	0.01%	0	2.00	0.37	3.52	0.78	0.15	1.59	5.68	153.32	5.41
522	Water or steam leak	272	0.10%	0	1.63	0.03	2.06	0.71	0.02	0.81	2.58	702.45	5.94
531	Smoke or odor removal	1,898	0.68%	0	2.45	0.08	1.86	1.01	0.04	0.88	2.15	4,074.12	5.86
540	Animal problem, other	26	0.01%	0	0.92	0.00	0.73	0.38	0.00	0.42	0.82	21.32	4.19
541	Animal problem	36	0.01%	0	1.00	0.00	1.78	0.36	0.00	0.69	1.43	51.60	6.39
542	Animal rescue	202	0.07%	0	0.37	0.07	2.46	0.16	0.02	1.11	1.55	312.33	7.95
550	Public service assistance, other	877	0.31%	0	0.75	0.36	1.00	0.33	0.13	0.45	1.50	1,311.40	5.84
551	Assist police or other governmental agency	960	0.34%	0	1.24	0.13	1.78	0.46	0.06	0.85	2.44	2,340.95	7.10
552	Police matter	193	0.07%	0	1.55	0.19	1.33	0.63	0.09	0.69	1.89	364.73	6.68
553	Public service	1,326	0.48%	0	0.86	0.05	1.85	0.34	0.02	0.88	3.20	4,248.72	4.84
554	Assist invalid	2,833	1.02%	0	1.06	0.42	1.08	0.39	0.21	0.40	0.83	2,347.77	6.53
555	Defective elevator, no occupants	44	0.02%	0	2.18	0.00	2.25	0.75	0.02	0.84	2.77	121.72	5.52

Detailed Selected Statistics & Management Activity

Selected Coded Field: Incident Type

Report Period: 1/1/09 - 12/31/09

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
561	Unauthorized burning	1,402	0.50%	0	2.80	0.01	0.79	1.13	0.01	0.38	1.54	2,165.95	6.47
571	Cover assignment, standby, moveup	854	0.31%	0	0.77	0.31	1.52	0.35	0.17	0.72	3.65	3,117.38	9.38
600	Good intent call, other	3,037	1.09%	0	1.95	0.13	1.33	0.85	0.06	2.70	1.18	3,571.65	5.76
611	Dispatched & canceled en route	17,963	6.44%	0	1.13	0.35	0.94	2.36	1.31	1.18	0.71	12,696.55	1.19
621	Wrong location	156	0.06%	0	1.83	0.42	1.49	0.82	0.18	0.63	0.71	111.28	4.99
622	No incident found at dispatch address	3,535	1.27%	0	1.70	0.76	1.35	0.64	0.27	0.55	1.03	3,648.32	5.78
631	Authorized controlled burning	1,072	0.38%	0	3.54	0.07	0.98	1.42	0.03	0.50	1.85	1,987.00	7.56
632	Prescribed fire	142	0.05%	0	3.36	0.04	0.63	1.33	0.02	0.23	2.90	411.78	6.47
641	Vicinity alarm (incident in other location)	76	0.03%	0	1.39	0.00	1.24	0.61	0.00	0.47	0.96	72.80	5.59
650	Steam, other gas mistaken for smoke, other	219	0.08%	0	2.71	0.07	1.76	1.15	0.04	0.78	1.29	283.37	5.75
651	Smoke scare, odor of smoke	1,764	0.63%	0	3.44	0.10	2.49	1.29	0.05	1.27	2.51	4,423.33	5.69
652	Steam, vapor, fog or dust thought to be smoke	329	0.12%	0	3.10	0.07	2.65	1.28	0.03	1.11	1.64	539.32	5.70
653	Barbecue, tar kettle	97	0.03%	0	1.84	0.02	1.78	0.77	0.02	0.69	0.64	61.63	5.48
661	EMS call, party transported by non-fire agenc	864	0.31%	0	0.48	0.20	0.17	0.19	0.09	0.17	0.49	422.38	5.69
671	Hazmat release investigation w/ no hazmat	505	0.18%	0	2.36	0.06	2.03	0.86	0.02	0.86	1.91	966.45	6.34
672	Biological hazard, none found	13	0.00%	0	2.08	0.23	0.77	0.85	0.08	0.08	3.67	47.72	28.92
700	False alarm or false call, other	4,574	1.64%	0	1.66	0.11	1.46	3.24	1.03	1.67	0.96	4,371.88	5.66
710	Malicious, mischievous false call, other	436	0.16%	0	3.07	0.05	1.48	1.22	0.02	0.65	1.52	664.15	5.24
711	Municipal alarm system, malicious false alarm	113	0.04%	0	3.71	0.07	2.12	1.35	0.04	0.77	1.96	222.03	5.31
712	Direct tie to FD, malicious/false alarm	24	0.01%	0	2.54	0.00	0.17	1.21	0.00	0.21	0.53	12.83	4.29
713	Telephone, malicious false alarm	85	0.03%	0	4.01	0.18	1.27	1.58	0.08	0.73	1.36	115.82	5.49
714	Central station, malicious false alarm	129	0.05%	0	3.94	0.00	2.52	1.16	0.00	1.05	2.09	269.75	4.79
715	Local alarm system, malicious false alarm	148	0.05%	0	2.21	0.05	1.78	0.74	0.03	0.69	1.42	209.62	5.31
721	Bomb scare - no bomb	73	0.03%	0	0.81	0.08	2.70	0.42	0.04	1.32	3.96	288.72	11.01
730	System malfunction, other	952	0.34%	0	2.74	0.03	1.86	1.21	0.02	0.90	1.66	1,584.60	5.49
731	Sprinkler activation due to malfunction	216	0.08%	0	3.07	0.11	2.36	1.41	0.05	1.07	3.55	766.58	5.74
732	Extinguishing system activation due to malfun	17	0.01%	0	4.35	0.18	1.06	1.76	0.06	0.18	2.67	45.38	5.47
733	Smoke detector activation due to malfunction	1,807	0.65%	0	2.59	0.02	2.02	1.06	0.01	0.85	1.70	3,073.43	6.08
734	Heat detector activation due to malfunction	101	0.04%	0	2.63	0.00	2.00	1.23	0.00	0.84	1.74	175.47	5.39
735	Alarm system sounded due to malfunction	2,433	0.87%	0	2.83	0.04	2.12	1.08	0.02	0.88	1.87	4,548.12	5.79
736	CO detector activation due to malfunction	763	0.27%	0	1.21	0.03	1.62	1.72	0.02	0.59	1.12	857.95	7.91
740	Unintentional transmission of alarm, other	1,155	0.41%	0	2.73	0.05	1.83	1.18	0.02	0.89	1.24	1,435.38	5.33

Detailed Selected Statistics & Management Activity

Selected Coded Field: Incident Type

Report Period: 1/1/09 - 12/31/09

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
741	Sprinkler activation, no fire - unintentional	237	0.08%	0	3.44	0.01	2.22	1.48	0.00	1.02	4.45	1,055.37	5.40
742	Extinguishing system activation	20	0.01%	0	2.10	0.10	2.15	1.10	0.05	0.80	1.76	35.18	5.85
743	Smoke detector activation, no fire - unintent	2,645	0.95%	0	2.50	0.02	2.36	1.01	0.01	0.98	1.38	3,638.90	5.74
744	Detector activation, no fire - unintentional	951	0.34%	0	2.51	0.03	2.18	1.03	0.01	1.03	1.60	1,525.67	5.59
745	Alarm system sounded, no fire - unintentional	4,364	1.56%	0	2.35	0.02	2.32	2.84	1.89	0.99	1.48	6,439.87	5.62
746	Carbon monoxide detector activation, no CO	745	0.27%	0	1.30	0.06	1.94	0.50	0.03	0.68	40.62	30,259.68	7.05
751	Biological hazard, malicious false report	1	0.00%	0	4.00	0.00	0.00	1.00	0.00	0.00	0.47	0.47	4.00
800	Severe weather or natural disaster, other	174	0.06%	0	2.05	0.17	2.86	43.86	0.08	44.23	76.75	13,355.08	5.25
812	Flood assessment	33	0.01%	0	1.52	0.00	3.27	0.64	0.00	1.85	5.08	167.67	5.15
813	Wind storm, tornado/hurricane assessment	195	0.07%	0	1.51	0.15	3.92	0.53	0.07	1.43	7.59	1,480.08	5.49
814	Lightning strike (no fire)	152	0.05%	0	2.69	0.10	2.16	7.26	0.05	1.22	3.01	457.27	6.78
815	Severe weather or natural disaster standby	219	0.08%	0	1.73	0.23	3.99	0.82	0.09	1.89	7.91	1,731.63	4.12
900	Special type of incident, other	995	0.36%	0	1.49	0.05	1.30	0.64	0.04	0.68	5.61	5,583.50	73.51
911	Citizen complaint	205	0.07%	0	1.26	0.03	1.30	0.48	0.01	0.57	1.04	212.68	7.87
Totals		278,969	100.00%	175	1.58	1.16	0.69	1.75	0.77	0.61	2.79	777,085.35	10.58
Mutual Aid Given Incidents		25,625											