

Detailed Selected Statistics & Management Activity

Report Parameters:

Report Period: 1/1/07 - 12/31/07

Version: 5.0

Status: All

Released: All

Report Filters: No Filters Applied

NOTE: Report Filter Groups are applied to the report SQL as "AND" conditions (i.e. Group 1 AND Group 2 AND Group 3 etc...)

State: MO

Report FDIDs: All

Detailed Selected Statistics & Management Activity

Selected Coded Field: Incident Type

Report Period: 1/1/07 - 12/31/07

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
100	Fire, other	1,763	0.51%	11	5.07	0.15	0.73	18.34	23.39	5.90	64.39	113,525.17	8.32
111	Building fires	5,422	1.55%	135	9.80	0.17	1.48	5.17	0.09	1.91	31.24	169,409.70	28.87
112	Fires in structures other than in a building	307	0.09%	7	8.57	0.15	0.71	3.46	0.08	0.50	13.36	4,102.12	6.96
113	Cooking fire, confined to container	2,327	0.67%	1	6.82	0.08	0.53	3.13	0.04	0.40	3.03	7,062.25	5.63
114	Chimney or flue fire, confined to chimney or	657	0.19%	0	7.76	0.14	0.96	3.12	0.07	0.67	7.11	4,673.22	9.08
115	Incinerator overload or malfunction, fire con	24	0.01%	0	6.63	0.25	1.29	2.67	0.13	1.13	10.79	258.93	5.63
116	Fuel burner/boiler malfunction, fire confined	63	0.02%	0	6.17	0.08	0.44	3.24	0.05	0.38	4.69	295.27	5.21
117	Commercial Compactor fire, confined to rubbish	10	0.00%	0	6.60	0.30	4.30	2.20	0.10	2.70	12.37	123.68	5.30
118	Trash or rubbish fire, contained	576	0.17%	1	3.55	0.07	1.14	1.61	0.03	0.88	3.06	1,762.67	5.90
120	Fire in mobile prop. used as a fixed struc.,	40	0.01%	1	5.80	0.15	1.83	2.60	0.08	1.05	22.19	887.73	7.63
121	Fire in mobile home used as fixed residence	213	0.06%	2	9.10	0.11	1.56	3.99	0.06	5.40	20.93	4,457.48	8.93
122	Fire in motor home, camper, recreational vehi	15	0.00%	0	6.53	0.40	0.60	3.20	0.13	0.47	10.03	150.48	11.73
123	Fire in portable building, fixed location	25	0.01%	2	8.32	0.08	1.16	3.72	0.04	1.08	15.05	376.27	7.52
130	Mobile property (vehicle) fire, other	646	0.19%	4	2.74	0.05	0.57	1.15	0.03	0.41	2.61	1,687.70	6.07
131	Passenger vehicle fire	3,119	0.89%	40	3.85	0.06	0.50	3.70	0.03	0.36	3.22	10,039.35	7.42
132	Road freight or transport vehicle fire	294	0.08%	2	5.53	0.07	0.65	2.38	0.04	0.42	8.24	2,422.22	7.38
133	Rail vehicle fire	16	0.00%	0	7.31	0.00	0.81	2.50	0.00	1.31	7.93	126.90	10.38
134	Water vehicle fire	19	0.01%	8	8.53	0.21	0.00	3.42	0.05	0.00	15.19	288.70	11.84
135	Aircraft fire	3	0.00%	0	7.67	1.00	0.67	3.33	0.33	0.67	18.54	55.63	17.33
136	Self-propelled motor home or recreational veh	15	0.00%	0	6.20	0.07	0.13	3.13	0.07	0.07	6.81	102.22	6.93
137	Camper or recreational vehicle (RV) fire	51	0.01%	2	5.94	0.12	1.27	2.55	0.06	1.20	8.47	431.72	8.55
138	Off-road vehicle or heavy equipment fire	206	0.06%	3	5.39	0.04	0.60	2.45	0.01	0.47	5.26	1,083.22	9.22
140	Natural vegetation fire, other	906	0.26%	1	3.62	0.03	0.46	6.16	0.02	0.28	3.20	2,895.50	7.20
141	Forest, woods or wildland fire	640	0.18%	1	5.70	0.07	1.06	2.56	0.03	0.69	12.17	7,791.38	11.57
142	Brush, or brush and grass mixture fire	2,855	0.82%	15	4.80	0.03	0.70	3.29	0.01	0.47	6.67	19,041.83	18.85
143	Grass fire	2,264	0.65%	8	4.60	0.05	0.80	4.51	0.01	0.96	3.92	8,877.67	8.81
150	Outside rubbish fire, other	1,208	0.35%	2	2.98	0.01	0.50	1.33	0.00	0.32	7,258.24	8,767,954.28	6.60
151	Outside rubbish, trash or waste fire	2,090	0.60%	4	3.72	0.03	0.49	1.55	0.01	0.33	2.57	5,373.73	7.42
152	Garbage dump or sanitary landfill fire	22	0.01%	0	3.27	0.09	0.32	1.64	0.05	0.09	2.42	53.28	9.32
153	Construction or demolition landfill fire	118	0.03%	0	3.97	0.00	0.53	1.88	0.00	0.39	6.11	720.48	7.58
154	Dumpster or other outside trash receptacle fi	1,418	0.41%	1	2.99	0.01	0.42	1.81	0.01	0.23	1.58	2,245.17	5.65
155	Outside stationary compactor/compacted trash	12	0.00%	0	6.42	0.00	0.00	3.08	0.00	0.00	6.45	77.43	6.42

Detailed Selected Statistics & Management Activity

Selected Coded Field: Incident Type

Report Period: 1/1/07 - 12/31/07

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
160	Special outside fire, other	388	0.11%	1	4.12	0.02	0.74	1.76	0.01	0.49	3.41	1,323.18	7.26
161	Outside storage fire	86	0.02%	1	7.83	0.15	0.76	3.23	0.09	0.69	22.21	1,910.05	6.62
162	Outside equipment fire	190	0.05%	2	4.31	0.03	0.76	1.71	0.02	0.55	3.48	660.88	5.85
163	Outside gas or vapor combustion explosion	25	0.01%	1	3.72	0.00	0.24	2.36	0.00	0.20	3.27	81.67	5.92
164	Outside mailbox fire	14	0.00%	0	2.57	0.14	1.57	1.29	0.07	0.64	1.57	21.98	6.21
170	Cultivated vegetation, crop fire, other	99	0.03%	0	4.75	0.05	0.75	2.26	0.03	0.60	8.40	831.47	10.75
171	Cultivated grain or crop fire	65	0.02%	0	6.40	0.11	1.15	2.88	0.06	1.06	11.69	759.67	9.40
172	Cultivated orchard or vineyard fire	1	0.00%	0	2.00	0.00	0.00	1.00	0.00	0.00	0.33	0.33	5.00
173	Cultivated trees or nursery stock fire	33	0.01%	0	6.36	0.00	0.21	2.06	0.00	0.12	6.88	227.00	6.76
200	Overpressure rupture, explosion, overheat oth	101	0.03%	0	2.76	0.10	1.83	1.29	0.05	0.90	1.86	188.22	6.23
210	Overpressure rupture from steam, other	27	0.01%	0	2.85	0.19	0.81	1.19	0.07	0.48	1.80	48.55	8.41
211	Overpressure rupture of steam pipe or pipelin	7	0.00%	0	2.43	0.00	3.29	1.29	0.00	2.43	2.48	17.37	4.14
212	Overpressure rupture of steam boiler	6	0.00%	0	5.00	0.00	3.00	1.50	0.00	1.00	2.79	16.72	5.33
213	Steam rupture of pressure or process vessel	2	0.00%	0	7.50	1.00	0.50	2.00	0.50	0.50	10.40	20.80	11.50
220	Overpressure rupture from air or gas, other	33	0.01%	0	2.15	0.18	2.55	0.85	0.09	1.39	2.83	93.42	6.48
221	Overpressure rupture of air or gas pipe/pipel	63	0.02%	0	1.71	0.13	2.83	0.67	0.08	1.56	6.52	410.50	7.08
222	Overpressure rupture of boiler from air or ga	5	0.00%	0	3.40	0.00	2.00	2.00	0.00	0.80	5.02	25.10	3.00
223	Air or gas rupture of pressure or process ves	27	0.01%	0	4.07	0.00	1.93	1.30	0.00	1.07	10.93	295.23	7.07
231	Chemical reaction rupture of process vessel	4	0.00%	0	0.75	0.00	4.25	0.50	0.00	1.75	7.30	29.18	6.00
240	Explosion (no fire), other	58	0.02%	0	4.24	0.16	3.59	1.60	0.07	1.64	5.60	324.68	7.03
241	Munitions or bomb explosion (no fire)	3	0.00%	0	1.33	0.00	1.00	0.33	0.00	1.00	1.49	4.47	21.33
242	Blasting agent explosion (no fire)	4	0.00%	0	4.75	0.00	9.00	1.25	0.00	4.00	6.35	25.40	8.75
243	Fireworks explosion (no fire)	28	0.01%	0	1.18	0.11	2.00	0.36	0.04	0.93	1.74	48.85	9.43
251	Excessive heat, scorch burns with no ignition	408	0.12%	0	3.73	0.10	3.18	1.70	0.05	1.50	3.73	1,521.13	12.42
300	Rescue, emergency medical call (EMS) call, ot	17,198	4.93%	0	0.87	0.52	0.95	2.25	0.61	0.59	2.73	46,904.40	27.20
311	Medical assist, assist EMS crew	76,813	22.02%	0	0.66	1.64	0.55	0.37	0.95	0.32	14.12	1,084,744.53	9.17
321	EMS call, excluding vehicle accident with inj	73,363	21.03%	0	0.74	2.59	0.16	0.38	0.90	0.08	6.11	448,545.33	8.71
322	Vehicle accident with injuries	13,275	3.81%	0	1.26	2.41	1.05	0.63	1.32	0.61	15.76	209,213.17	22.06
323	Motor vehicle/pedestrian accident (MV Ped)	763	0.22%	0	0.87	1.85	0.82	0.34	0.87	0.51	2.47	1,882.15	5.35
324	Motor vehicle accident with no injuries	10,404	2.98%	0	0.89	1.69	1.13	0.42	0.75	0.80	2.16	22,452.77	6.67
331	Lock-in (if lock out , use 511)	465	0.13%	0	0.86	0.22	1.77	0.37	0.10	0.69	0.78	361.32	5.42
340	Search, other	44	0.01%	0	1.27	0.59	3.07	0.55	0.34	0.77	7.36	323.75	14.23

Detailed Selected Statistics & Management Activity

Selected Coded Field: Incident Type

Report Period: 1/1/07 - 12/31/07

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
341	Search for person on land	138	0.04%	0	2.15	1.75	3.93	7.46	0.74	24.80	13.67	1,886.90	11.39
342	Search for person in water	43	0.01%	0	2.12	0.93	3.35	1.49	0.67	2.49	16.85	724.60	14.47
343	Search for person underground	1	0.00%	0	0.00	0.00	11.00	0.00	0.00	6.00	12.47	12.47	5.00
350	Extrication, rescue, other	309	0.09%	0	2.39	0.98	2.13	22.02	0.47	0.92	3.93	1,215.38	6.90
351	Extrication of victim(s) from building/struct	38	0.01%	0	2.16	1.03	3.21	0.66	0.39	1.34	5.50	209.12	7.97
352	Extrication of victim(s) from vehicle	1,519	0.44%	0	2.76	1.13	3.04	5.10	0.54	2.80	7.05	10,701.88	7.66
353	Removal of victim(s) from stalled elevator	648	0.19%	0	4.12	0.03	1.56	1.92	0.02	0.88	2.96	1,918.57	9.39
354	Trench/below grade rescue	19	0.01%	0	2.37	0.68	4.32	1.05	0.26	3.00	23.68	449.85	9.11
355	Confined space rescue	9	0.00%	0	2.78	0.00	2.00	1.22	0.00	0.56	2.69	24.17	4.33
356	High angle rescue	22	0.01%	0	1.18	0.36	4.73	0.77	0.27	1.91	5.11	112.35	10.27
357	Extrication of victim(s) from machinery	49	0.01%	0	2.73	0.76	2.49	19.88	0.31	1.43	4.28	209.50	6.96
360	Water & ice related rescue, other	76	0.02%	0	2.53	0.88	3.93	1.11	0.34	2.22	9.74	740.60	9.66
361	Swimming/recreational water areas rescue	37	0.01%	0	1.84	0.92	3.43	0.57	0.41	2.19	12.28	454.37	8.89
362	Ice rescue	11	0.00%	0	1.82	0.73	1.36	84.36	0.45	1.00	3.99	43.87	13.36
363	Swift water rescue	65	0.02%	0	2.22	0.74	3.86	1.06	0.37	2.31	7.58	492.98	8.02
365	Watercraft rescue	43	0.01%	0	1.16	0.37	3.91	0.60	0.14	3.23	10.21	439.12	10.47
370	Electrical rescue, other	15	0.00%	0	0.40	0.13	2.53	0.27	0.07	1.87	1.57	23.48	8.13
371	Electrocution or potential electrocution	21	0.01%	0	0.67	0.33	1.29	0.29	0.19	0.71	1.97	41.38	6.00
372	Trapped by power lines	14	0.00%	0	0.79	0.14	4.36	0.43	0.00	2.07	7.63	106.75	4.14
381	Rescue or EMS standby	11,430	3.28%	0	2.18	0.28	0.16	0.99	0.14	0.39	1.03	11,728.22	5.17
400	Hazardous condition, other	1,265	0.36%	0	1.67	0.06	2.65	0.62	0.03	1.06	2.80	3,541.93	5.97
410	Flammable gas or liquid condition, other	275	0.08%	0	1.16	0.05	1.70	0.45	0.03	0.80	1.83	502.40	6.27
411	Gasoline or other flammable liquid spill	927	0.27%	0	1.39	0.06	2.09	0.52	0.02	0.94	4.84	4,486.73	6.17
412	Gas leak (natural gas or LPG)	2,761	0.79%	0	1.78	0.07	2.47	1.46	0.04	1.41	2.99	8,267.57	6.24
413	Oil or other combustible liquid spill	330	0.09%	0	1.18	0.04	2.08	0.40	0.01	0.92	2.03	669.80	6.65
420	Toxic condition, other	91	0.03%	0	0.77	0.07	1.23	0.27	0.03	0.64	2.26	205.73	8.47
421	Chemical hazard (no spill or leak)	73	0.02%	0	1.63	0.18	2.30	0.68	0.08	1.16	4.39	320.17	7.56
422	Chemical spill or leak	209	0.06%	0	1.88	0.10	3.37	0.83	0.05	1.56	263.87	55,149.10	7.14
423	Refrigeration leak	32	0.01%	0	1.06	0.06	2.88	0.44	0.03	1.22	3.25	104.07	5.84
424	Carbon monoxide incident	2,054	0.59%	0	1.14	0.12	1.58	0.45	0.06	0.67	41.02	84,259.10	35.10
440	Electrical wiring/equipment problem, other	1,665	0.48%	0	2.47	0.06	2.33	0.99	0.03	1.30	3.12	5,189.00	5.84
441	Heat from short circuit (wiring), defective/w	385	0.11%	0	4.02	0.06	2.41	1.61	0.03	1.20	3.49	1,341.92	5.12

Detailed Selected Statistics & Management Activity

Selected Coded Field: Incident Type

Report Period: 1/1/07 - 12/31/07

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
442	Overheated motor	527	0.15%	0	4.31	0.13	2.87	1.77	0.07	1.48	4.26	2,243.60	7.33
443	Light ballast breakdown	97	0.03%	0	3.36	0.23	3.42	1.51	0.10	1.67	2.61	253.48	4.22
444	Power line down	4,207	1.21%	0	1.63	0.02	2.27	0.99	0.01	0.79	14.77	62,158.37	9.66
445	Arcing, shorted electrical equipment	1,922	0.55%	0	2.56	0.05	2.21	0.96	0.02	0.85	2.35	4,525.70	6.86
451	Biological hazard, confirmed or suspected	21	0.01%	0	1.24	0.00	2.14	1.19	0.00	1.05	2.97	62.42	7.19
460	Accident, potential accident, other	351	0.10%	0	1.91	0.34	2.72	0.81	0.12	1.25	4.25	1,491.78	7.08
461	Building or structure weakened or collapsed	97	0.03%	0	4.08	0.28	2.59	1.68	0.13	1.54	7.41	719.13	5.88
462	Aircraft standby	1,287	0.37%	0	1.69	0.09	2.02	1.02	0.05	1.47	2.93	3,774.62	8.98
463	Vehicle accident, general cleanup	1,989	0.57%	0	2.03	0.26	2.14	0.74	0.08	1.03	2.67	5,312.20	6.04
471	Explosive, bomb removal (for bomb scare, use	53	0.02%	0	0.47	0.08	1.96	0.32	0.04	1.36	5.22	276.78	18.66
480	Attempted burning, illegal action, other	96	0.03%	0	0.86	0.06	1.51	0.41	0.03	1.06	1.06	101.92	6.95
481	Attempt to burn	30	0.01%	0	2.60	0.10	1.23	0.93	0.03	0.70	1.93	57.90	8.77
482	Threat to burn	4	0.00%	0	0.50	0.00	2.25	0.75	0.00	1.25	1.87	7.48	6.25
500	Service Call, other	3,656	1.05%	0	1.00	0.10	1.63	1.29	0.04	0.75	3.03	11,093.02	9.99
510	Person in distress, other	2,161	0.62%	0	1.45	0.23	1.31	0.59	0.10	0.64	1.31	2,827.45	7.30
511	Lock-out	1,879	0.54%	0	1.26	0.03	1.42	0.51	0.01	0.54	0.63	1,188.57	6.28
512	Ring or jewelry removal	28	0.01%	0	0.82	0.14	1.71	0.50	0.07	0.68	1.30	36.27	5.96
520	Water problem, other	281	0.08%	0	1.35	0.03	1.67	0.68	0.01	0.91	1.57	442.18	5.99
521	Water evacuation	30	0.01%	0	2.33	0.13	2.83	1.00	0.10	1.63	12.67	380.23	6.43
522	Water or steam leak	341	0.10%	0	1.67	0.01	2.16	0.67	0.01	1.06	2.33	795.20	6.22
531	Smoke or odor removal	2,549	0.73%	0	2.20	0.08	2.47	3.38	0.05	1.21	2.48	6,323.23	6.18
540	Animal problem, other	26	0.01%	0	0.15	0.31	1.04	0.08	0.08	0.54	0.91	23.55	7.58
541	Animal problem	41	0.01%	0	1.71	0.00	2.07	0.46	0.00	1.05	1.85	75.75	-22.59
542	Animal rescue	164	0.05%	0	0.63	0.10	2.24	0.23	0.06	1.12	1.90	310.80	8.07
550	Public service assistance, other	1,164	0.33%	0	0.69	0.10	1.25	0.31	0.04	0.75	22.08	25,697.50	7.76
551	Assist police or other governmental agency	1,338	0.38%	0	1.05	0.12	1.90	0.40	0.05	0.89	2.53	3,384.22	7.77
552	Police matter	228	0.07%	0	1.21	0.25	1.56	0.60	0.12	0.66	2.24	511.02	6.89
553	Public service	1,218	0.35%	0	0.72	0.07	2.27	0.27	0.03	1.03	3.88	4,728.85	6.30
554	Assist invalid	2,791	0.80%	0	1.07	0.34	1.16	0.39	0.16	0.53	0.98	2,748.25	6.74
555	Defective elevator, no occupants	83	0.02%	0	1.39	0.00	1.94	1.10	0.00	1.13	1.36	112.97	4.41
561	Unauthorized burning	1,764	0.51%	0	2.72	0.01	0.97	1.16	0.01	0.54	1.52	2,675.28	6.79
571	Cover assignment, standby, moveup	1,089	0.31%	0	1.25	0.14	1.77	0.36	0.06	0.79	5.45	5,939.47	12.01

Detailed Selected Statistics & Management Activity

Selected Coded Field: Incident Type

Report Period: 1/1/07 - 12/31/07

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
600	Good intent call, other	4,573	1.31%	0	1.54	0.12	2.26	0.64	0.06	0.95	13.03	59,580.93	6.33
611	Dispatched & canceled en route	21,378	6.13%	0	0.92	0.43	1.44	0.83	0.17	0.79	0.52	11,080.15	1.63
621	Wrong location	217	0.06%	0	2.10	0.29	1.54	0.83	0.13	0.73	0.99	215.32	6.27
622	No incident found at dispatch address	3,430	0.98%	0	1.22	0.52	2.31	0.50	0.19	0.84	0.98	3,361.28	6.45
631	Authorized controlled burning	1,379	0.40%	0	3.27	0.07	1.23	1.96	0.03	0.65	1.96	2,696.35	24.68
632	Prescribed fire	132	0.04%	0	3.63	0.03	1.04	1.47	0.02	0.47	1.39	183.07	7.27
641	Vicinity alarm (incident in other location)	143	0.04%	0	0.92	0.03	2.18	0.49	0.01	1.22	1.05	150.12	5.69
650	Steam, other gas mistaken for smoke, other	325	0.09%	0	2.42	0.06	2.07	1.12	0.02	1.05	1.24	403.77	5.48
651	Smoke scare, odor of smoke	2,715	0.78%	0	3.10	0.11	2.47	1.47	0.06	1.72	19.58	53,163.57	18.15
652	Steam, vapor, fog or dust thought to be smoke	504	0.14%	0	3.23	0.07	2.24	1.37	0.04	0.99	1.66	834.15	5.70
653	Barbecue, tar kettle	156	0.04%	0	2.42	0.10	1.97	0.99	0.04	1.01	0.97	150.87	5.81
661	EMS call, party transported by non-fire agenc	2,971	0.85%	0	0.23	0.09	0.89	0.09	0.04	0.78	0.43	1,283.95	4.91
671	Hazmat release investigation w/ no hazmat	617	0.18%	0	1.98	0.02	2.24	0.91	0.01	0.92	4.56	2,813.97	62.33
672	Biological hazard, none found	16	0.00%	0	2.13	0.13	1.50	0.75	0.06	1.44	4.03	64.55	7.88
700	False alarm or false call, other	5,972	1.71%	0	1.59	0.08	2.02	0.81	0.15	1.15	1.14	6,792.65	7.66
710	Malicious, mischievous false call, other	560	0.16%	0	3.00	0.06	1.82	1.34	0.04	0.88	1.56	871.45	5.30
711	Municipal alarm system, malicious false alarm	155	0.04%	0	2.34	0.05	1.99	1.02	0.03	1.00	1.42	219.33	5.76
712	Direct tie to FD, malicious/false alarm	32	0.01%	0	1.97	0.00	1.06	1.13	0.00	0.69	0.91	29.07	6.63
713	Telephone, malicious false alarm	200	0.06%	0	4.81	0.11	0.66	2.07	0.04	0.44	1.13	225.98	5.38
714	Central station, malicious false alarm	138	0.04%	0	3.78	0.04	2.25	1.79	0.02	0.99	1.90	262.55	5.20
715	Local alarm system, malicious false alarm	215	0.06%	0	1.87	0.01	2.13	1.05	0.00	1.05	1.21	259.63	5.55
721	Bomb scare - no bomb	138	0.04%	0	0.86	0.07	3.09	0.41	0.05	1.60	8.30	1,145.95	54.84
730	System malfunction, other	1,612	0.46%	0	2.97	0.03	1.84	1.58	0.02	0.86	1.49	2,395.87	5.70
731	Sprinkler activation due to malfunction	238	0.07%	0	3.57	0.01	2.27	1.59	0.00	1.10	3.18	756.17	5.55
732	Extinguishing system activation due to malfun	27	0.01%	0	3.96	0.00	1.93	1.11	0.00	1.26	3.11	83.88	5.59
733	Smoke detector activation due to malfunction	2,416	0.69%	0	2.56	0.03	2.00	1.50	0.02	1.27	12.55	30,310.18	6.19
734	Heat detector activation due to malfunction	146	0.04%	0	2.44	0.02	2.31	1.21	0.01	1.05	1.74	253.35	5.48
735	Alarm system sounded due to malfunction	3,766	1.08%	0	2.30	0.03	2.10	1.24	0.02	1.35	22.67	85,374.22	6.71
736	CO detector activation due to malfunction	941	0.27%	0	1.12	0.06	1.63	0.79	0.02	0.66	1.30	1,222.80	16.22
740	Unintentional transmission of alarm, other	1,889	0.54%	0	2.44	0.03	1.96	1.28	0.01	1.02	1.15	2,174.23	6.37
741	Sprinkler activation, no fire - unintentional	329	0.09%	0	4.05	0.01	1.96	1.80	0.01	0.97	3.04	999.97	5.39
742	Extinguishing system activation	20	0.01%	0	1.50	0.00	4.35	0.65	0.00	2.45	3.15	63.08	5.05

Detailed Selected Statistics & Management Activity

Selected Coded Field: Incident Type

Report Period: 1/1/07 - 12/31/07

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
743	Smoke detector activation, no fire - unintent	3,144	0.90%	0	2.89	0.02	2.19	1.27	0.01	0.94	1.46	4,585.65	5.90
744	Detector activation, no fire - unintentional	1,084	0.31%	0	3.10	0.02	1.90	2.26	0.01	1.72	1.39	1,502.83	7.48
745	Alarm system sounded, no fire - unintentional	5,402	1.55%	0	2.42	0.03	2.24	1.26	0.01	1.28	10.92	59,005.68	14.79
746	Carbon monoxide detector activation, no CO	1,114	0.32%	0	1.27	0.06	1.82	0.97	0.03	0.75	24.83	27,658.82	7.15
751	Biological hazard, malicious false report	3	0.00%	0	1.33	0.00	1.00	0.33	0.00	0.33	1.66	4.98	6.33
800	Severe weather or natural disaster, other	490	0.14%	0	0.96	0.02	2.91	0.34	0.01	1.13	7.85	3,848.43	7.47
812	Flood assessment	25	0.01%	0	0.96	0.32	4.56	0.48	0.20	1.04	5.65	141.30	7.60
813	Wind storm, tornado/hurricane assessment	66	0.02%	0	2.00	0.21	2.80	1.03	0.11	1.39	8.45	557.68	6.95
814	Lightning strike (no fire)	185	0.05%	0	3.02	0.15	2.27	1.29	0.08	1.21	3.87	716.42	6.87
815	Severe weather or natural disaster standby	175	0.05%	0	2.45	0.18	4.38	1.03	0.03	1.81	23.16	4,052.13	5.90
900	Special type of incident, other	1,954	0.56%	0	1.40	0.16	1.21	1.18	0.08	0.64	4.18	8,173.20	13.75
911	Citizen complaint	374	0.11%	0	0.76	0.15	1.64	0.28	0.05	0.83	0.84	313.25	7.04
Totals		348,798	100.00%	256	1.53	1.15	0.99	1.07	0.66	0.61	33.51	11,687,501.68	11.26
Mutual Aid Given Incidents		31,572											