

Detailed Selected Statistics & Management Activity

Report Parameters:

Report Period: 1/1/08 - 12/31/08

Version: 5.0

Status: All

Released: All

Report Filters: No Filters Applied

NOTE: Report Filter Groups are applied to the report SQL as "AND" conditions (i.e. Group 1 AND Group 2 AND Group 3 etc...)

State: MO

Report FDIDs: All

Detailed Selected Statistics & Management Activity

Selected Coded Field: Incident Type

Report Period: 1/1/08 - 12/31/08

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
100	Fire, other	726	0.21%	12	5.00	0.16	0.93	2.41	0.09	0.82	5.68	4,124.00	36.67
111	Building fires	5,330	1.51%	125	9.52	0.20	0.93	8.56	0.41	3.45	29.03	154,714.68	6.99
112	Fires in structures other than in a building	177	0.05%	5	7.77	0.29	0.94	2.92	0.15	0.61	15.06	2,665.40	6.77
113	Cooking fire, confined to container	2,722	0.77%	1	6.23	0.07	0.29	3.36	1.55	0.34	2.66	7,251.07	4.96
114	Chimney or flue fire, confined to chimney or	658	0.19%	0	7.04	0.16	0.73	9.76	0.08	0.85	6.67	4,389.95	7.79
115	Incinerator overload or malfunction, fire con	24	0.01%	0	5.58	0.00	0.33	2.25	0.04	0.17	4.35	104.35	5.04
116	Fuel burner/boiler malfunction, fire confined	92	0.03%	0	8.11	0.15	0.28	4.22	0.07	0.22	10.57	972.52	52.01
117	Commercial Compactor fire, confined to rubbish	13	0.00%	0	5.77	0.31	0.23	3.69	0.15	0.23	8.98	116.68	5.85
118	Trash or rubbish fire, contained	603	0.17%	0	3.83	0.04	0.35	1.98	0.02	0.16	2.72	1,640.98	5.56
120	Fire in mobile prop. used as a fixed struc.,	34	0.01%	0	6.44	0.12	1.94	29.53	0.06	1.00	10.27	349.28	8.88
121	Fire in mobile home used as fixed residence	227	0.06%	4	9.22	0.18	1.23	4.00	0.11	0.86	22.08	5,011.20	9.00
122	Fire in motor home, camper, recreational vehi	28	0.01%	0	6.14	0.07	0.71	3.07	0.04	0.68	9.48	265.37	9.00
123	Fire in portable building, fixed location	16	0.00%	0	7.75	0.13	0.44	4.13	0.06	0.44	7.67	122.78	6.38
130	Mobile property (vehicle) fire, other	798	0.23%	3	2.28	0.06	0.19	0.94	0.03	0.18	1.88	1,501.20	4.38
131	Passenger vehicle fire	2,899	0.82%	44	3.84	0.07	0.48	3.45	1.58	1.87	7.24	21,002.92	5.92
132	Road freight or transport vehicle fire	286	0.08%	6	5.65	0.07	0.62	2.20	0.02	0.39	7.30	2,086.73	6.91
133	Rail vehicle fire	6	0.00%	0	5.50	0.67	3.00	4.50	0.33	2.67	10.29	61.73	10.17
134	Water vehicle fire	30	0.01%	1	6.40	0.00	0.90	3.00	0.00	0.23	11.83	355.02	10.90
135	Aircraft fire	6	0.00%	0	4.83	0.00	0.50	1.83	0.00	0.00	4.52	27.13	6.17
136	Self-propelled motor home or recreational veh	5	0.00%	0	7.40	0.00	1.00	3.20	0.00	1.20	13.34	66.70	12.60
137	Camper or recreational vehicle (RV) fire	54	0.02%	3	6.69	0.19	0.93	2.94	0.09	0.59	8.43	455.18	7.85
138	Off-road vehicle or heavy equipment fire	196	0.06%	1	5.61	0.09	0.90	4.87	0.05	0.57	7.12	1,395.80	14.58
140	Natural vegetation fire, other	590	0.17%	0	3.88	0.05	0.42	1.80	0.02	0.26	3.15	1,855.70	7.79
141	Forest, woods or wildland fire	380	0.11%	2	5.08	0.08	0.84	31.62	17.48	11.58	8.03	3,051.47	12.90
142	Brush, or brush and grass mixture fire	1,836	0.52%	5	4.83	0.06	0.68	10.49	0.62	1.08	4.85	8,913.00	9.23
143	Grass fire	1,827	0.52%	9	4.74	0.03	0.99	11.60	0.01	1.70	6.08	11,112.78	26.17
150	Outside rubbish fire, other	1,069	0.30%	1	2.95	0.01	0.21	1.33	0.01	0.11	2.84	3,032.53	7.66
151	Outside rubbish, trash or waste fire	1,905	0.54%	0	3.75	0.02	0.29	1.58	0.01	0.17	2.03	3,875.40	6.66
152	Garbage dump or sanitary landfill fire	26	0.01%	0	2.15	0.15	0.27	1.31	0.08	0.15	2.43	63.13	6.23
153	Construction or demolition landfill fire	76	0.02%	0	4.09	0.08	0.12	1.92	0.03	0.12	3.41	259.20	7.30
154	Dumpster or other outside trash receptacle fi	1,335	0.38%	1	3.20	0.02	0.19	1.22	0.01	0.11	1.49	1,989.15	5.62
155	Outside stationary compactor/compacted trash	11	0.00%	0	4.64	0.00	0.27	1.64	0.00	0.27	5.16	56.72	5.73

Detailed Selected Statistics & Management Activity

Selected Coded Field: Incident Type

Report Period: 1/1/08 - 12/31/08

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
160	Special outside fire, other	292	0.08%	1	4.15	0.08	0.54	1.94	0.03	0.27	3.22	939.22	7.13
161	Outside storage fire	55	0.02%	1	6.78	0.15	0.96	3.09	0.11	0.56	11.88	653.27	8.69
162	Outside equipment fire	164	0.05%	0	4.23	0.06	0.51	1.79	0.03	0.28	3.68	603.08	6.20
163	Outside gas or vapor combustion explosion	16	0.00%	0	6.13	0.19	0.00	2.44	0.13	0.00	5.05	80.77	5.81
164	Outside mailbox fire	8	0.00%	0	2.63	0.00	0.38	63.75	0.00	0.13	1.18	9.45	6.38
170	Cultivated vegetation, crop fire, other	74	0.02%	0	5.35	0.05	0.57	2.57	0.01	0.42	6.60	488.12	9.54
171	Cultivated grain or crop fire	37	0.01%	0	5.76	0.11	0.65	15.89	13.57	14.16	8.80	325.47	8.38
173	Cultivated trees or nursery stock fire	16	0.00%	0	2.19	0.00	0.00	1.13	0.00	0.00	0.67	10.72	5.19
200	Overpressure rupture, explosion, overheat oth	90	0.03%	0	4.40	0.12	2.01	1.94	0.04	0.83	4.89	439.72	5.71
210	Overpressure rupture from steam, other	29	0.01%	0	2.90	0.14	0.83	1.34	0.07	0.72	1.16	33.73	6.86
211	Overpressure rupture of steam pipe or pipelin	6	0.00%	0	7.83	0.00	1.17	2.50	0.00	0.67	5.74	34.43	4.33
212	Overpressure rupture of steam boiler	2	0.00%	0	0.00	0.00	3.50	0.50	0.00	4.00	0.41	0.82	3.00
213	Steam rupture of pressure or process vessel	6	0.00%	0	3.67	0.33	1.00	2.83	0.17	0.50	1.79	10.72	5.17
220	Overpressure rupture from air or gas, other	22	0.01%	0	1.27	0.09	1.23	0.41	0.05	0.73	1.64	36.12	5.77
221	Overpressure rupture of air or gas pipe/pipel	49	0.01%	0	3.04	0.06	2.16	1.31	0.04	1.04	4.05	198.55	6.22
222	Overpressure rupture of boiler from air or ga	4	0.00%	0	1.50	3.00	0.25	0.50	1.25	0.25	23.35	93.42	4.75
223	Air or gas rupture of pressure or process ves	13	0.00%	0	1.69	0.00	1.46	1.92	0.00	0.54	5.14	66.78	32.69
240	Explosion (no fire), other	44	0.01%	0	2.25	0.30	3.09	0.89	0.14	1.30	5.90	259.40	5.91
241	Munitions or bomb explosion (no fire)	4	0.00%	0	1.00	1.00	2.75	0.50	0.50	1.75	19.78	79.13	14.25
242	Blasting agent explosion (no fire)	2	0.00%	0	0.00	0.00	6.00	0.00	0.00	2.50	5.93	11.85	3.50
243	Fireworks explosion (no fire)	18	0.01%	0	1.39	0.00	2.22	0.67	0.00	1.22	1.56	28.17	8.06
251	Excessive heat, scorch burns with no ignition	392	0.11%	0	3.77	0.10	2.65	2.02	0.05	1.14	3.23	1,267.55	5.63
300	Rescue, emergency medical call (EMS) call, ot	17,430	4.93%	0	1.17	0.53	0.52	0.63	1.24	0.34	1.32	23,012.30	13.06
311	Medical assist, assist EMS crew	70,972	20.07%	0	0.72	1.71	0.32	0.47	1.28	0.21	2.43	172,414.53	6.31
32	Emergency medical service (EMS)	4	0.00%	0	0.00	2.50	0.00	0.00	612.75	0.00	1.71	6.83	-433.00
321	EMS call, excluding vehicle accident with inj	84,771	23.98%	0	0.87	1.90	0.11	0.62	3.72	0.20	1.77	150,176.17	6.40
322	Vehicle accident with injuries	12,796	3.62%	0	1.37	2.47	0.74	6.59	3.33	1.56	3.45	44,104.57	5.79
323	Motor vehicle/pedestrian accident (MV Ped)	839	0.24%	0	0.95	1.89	0.41	0.41	0.87	0.19	1.66	1,392.50	4.15
324	Motor vehicle accident with no injuries	10,224	2.89%	0	1.01	1.83	0.66	0.57	1.46	0.37	4.87	49,772.05	5.47
331	Lock-in (if lock out , use 511)	464	0.13%	0	0.85	0.13	1.83	0.40	0.06	0.71	0.80	370.73	6.79
340	Search, other	33	0.01%	0	1.45	0.58	2.00	0.48	0.21	0.88	5.41	178.68	7.67
341	Search for person on land	127	0.04%	0	2.26	1.28	4.05	68.45	35.78	1.83	11.60	1,472.63	10.80

Detailed Selected Statistics & Management Activity

Selected Coded Field: Incident Type

Report Period: 1/1/08 - 12/31/08

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
342	Search for person in water	50	0.01%	0	1.30	0.88	3.52	0.42	0.50	2.42	329.03	16,451.57	8.58
343	Search for person underground	2	0.00%	0	0.00	2.00	1.50	0.00	1.50	0.50	3.24	6.48	6.50
350	Extrication, rescue, other	290	0.08%	0	2.39	0.64	1.93	1.09	0.28	0.87	3.68	1,066.75	6.45
351	Extrication of victim(s) from building/struct	32	0.01%	0	3.34	0.38	1.88	1.38	0.13	1.19	6.50	208.03	6.72
352	Extrication of victim(s) from vehicle	1,241	0.35%	0	2.81	1.10	3.02	11.33	13.63	6.63	7.94	9,850.45	6.73
353	Removal of victim(s) from stalled elevator	663	0.19%	0	3.34	0.07	1.58	1.77	0.03	0.54	2.15	1,422.87	6.87
354	Trench/below grade rescue	11	0.00%	0	4.45	0.00	2.82	1.00	0.00	1.64	6.75	74.23	9.55
355	Confined space rescue	6	0.00%	0	12.83	0.83	2.67	3.67	0.17	1.33	34.42	206.52	4.50
356	High angle rescue	23	0.01%	0	1.39	1.78	4.91	0.48	0.74	2.35	15.16	348.60	6.48
357	Extrication of victim(s) from machinery	38	0.01%	0	1.53	0.68	2.42	0.74	0.32	1.39	3.15	119.55	5.50
360	Water & ice related rescue, other	162	0.05%	0	1.67	0.63	3.07	0.87	0.31	1.78	6.97	1,128.62	9.24
361	Swimming/recreational water areas rescue	36	0.01%	0	3.06	0.61	3.33	1.97	0.19	2.22	9.89	356.13	11.33
362	Ice rescue	15	0.00%	0	1.00	0.00	3.87	0.60	0.00	1.67	2.92	43.82	10.67
363	Swift water rescue	271	0.08%	0	1.59	1.37	4.54	0.54	0.59	2.05	13.30	3,603.30	9.36
364	Surf rescue	1	0.00%	0	7.00	0.00	0.00	2.00	0.00	0.00	12.13	12.13	14.00
365	Watercraft rescue	38	0.01%	0	1.39	0.18	4.97	0.42	0.13	2.89	14.06	534.42	12.13
370	Electrical rescue, other	7	0.00%	0	1.57	0.29	0.14	0.86	0.14	0.14	0.87	6.07	8.29
371	Electrocution or potential electrocution	13	0.00%	0	0.15	0.31	0.54	0.08	0.08	0.31	0.42	5.47	4.77
372	Trapped by power lines	4	0.00%	0	0.00	1.00	1.50	0.00	0.25	1.25	1.16	4.63	4.75
381	Rescue or EMS standby	15,476	4.38%	0	2.06	0.18	0.10	1.02	0.12	0.31	0.86	13,277.92	5.20
400	Hazardous condition, other	1,275	0.36%	0	1.26	0.05	2.02	0.72	0.02	0.99	2.05	2,612.30	5.06
41	Combustible/flammable spills & leaks	1	0.00%	0	3.00	0.00	4.00	812.00	0.00	814.00	40.25	40.25	-915.00
410	Flammable gas or liquid condition, other	264	0.07%	0	0.92	0.03	1.29	0.45	0.02	0.59	1.83	483.25	5.72
411	Gasoline or other flammable liquid spill	915	0.26%	0	1.44	0.04	2.09	1.62	0.02	0.88	2.49	2,281.93	6.23
412	Gas leak (natural gas or LPG)	2,490	0.70%	0	2.07	0.08	2.52	0.88	0.04	1.12	3.47	8,636.80	6.68
413	Oil or other combustible liquid spill	290	0.08%	0	1.26	0.04	1.81	0.47	0.01	0.79	2.40	696.28	6.51
420	Toxic condition, other	144	0.04%	0	0.21	0.03	0.26	0.14	0.01	0.14	0.41	58.72	6.49
421	Chemical hazard (no spill or leak)	86	0.02%	0	2.21	0.07	2.31	1.41	0.03	1.12	7.59	653.05	7.14
422	Chemical spill or leak	184	0.05%	0	2.46	0.05	2.54	1.39	0.02	1.40	8.91	1,639.17	7.26
423	Refrigeration leak	32	0.01%	0	2.44	0.06	3.50	0.97	0.03	1.78	6.65	212.90	5.19
424	Carbon monoxide incident	2,067	0.58%	0	1.14	0.09	1.28	2.43	0.04	0.51	1.63	3,375.80	7.68
431	Radiation leak, radioactive material	2	0.00%	0	1.50	0.00	5.50	0.50	0.00	3.00	12.55	25.10	1.50

Detailed Selected Statistics & Management Activity

Selected Coded Field: Incident Type

Report Period: 1/1/08 - 12/31/08

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
440	Electrical wiring/equipment problem, other	1,540	0.44%	0	2.21	0.06	2.04	1.69	0.03	0.99	2.51	3,860.22	6.76
441	Heat from short circuit (wiring), defective/w	398	0.11%	0	3.71	0.10	2.54	1.72	0.05	1.16	3.15	1,253.92	5.17
442	Overheated motor	518	0.15%	0	4.36	0.14	3.16	1.81	0.07	1.45	5.47	2,835.70	8.90
443	Light ballast breakdown	131	0.04%	0	3.69	0.06	3.68	1.66	0.03	1.53	3.72	486.67	4.70
444	Power line down	2,313	0.65%	0	1.41	0.02	2.00	0.55	0.01	0.85	8.95	20,706.28	6.77
445	Arcing, shorted electrical equipment	1,496	0.42%	0	2.59	0.06	2.17	1.79	0.03	0.94	2.42	3,617.55	6.06
451	Biological hazard, confirmed or suspected	19	0.01%	0	0.58	0.00	1.68	0.58	0.00	0.89	1.91	36.22	11.32
460	Accident, potential accident, other	304	0.09%	0	2.08	0.18	1.92	1.02	0.08	0.97	3.43	1,041.60	6.46
461	Building or structure weakened or collapsed	86	0.02%	0	2.97	0.30	2.92	1.63	0.14	1.91	6.36	547.30	5.30
462	Aircraft standby	876	0.25%	0	1.83	0.18	1.66	1.78	0.09	0.83	2.75	2,411.37	8.34
463	Vehicle accident, general cleanup	1,731	0.49%	0	2.20	0.22	1.94	8.08	1.20	4.80	2.44	4,230.27	5.88
471	Explosive, bomb removal (for bomb scare, use	44	0.01%	0	1.02	0.05	2.95	0.45	0.02	1.61	9.70	426.83	17.77
480	Attempted burning, illegal action, other	77	0.02%	0	1.69	0.03	1.17	0.57	0.01	0.52	1.49	114.93	6.09
481	Attempt to burn	39	0.01%	0	4.54	0.05	1.36	1.62	0.03	0.56	7.50	292.37	6.44
482	Threat to burn	7	0.00%	0	3.86	0.00	1.29	1.00	0.00	0.57	1.56	10.93	5.57
500	Service Call, other	3,461	0.98%	0	1.15	0.06	1.17	0.51	0.04	0.51	1.20	4,149.93	6.72
510	Person in distress, other	2,591	0.73%	0	1.88	0.12	0.82	0.71	0.06	0.42	0.94	2,432.22	6.32
511	Lock-out	1,907	0.54%	0	1.30	0.02	1.05	0.59	0.01	0.43	0.61	1,170.88	6.16
512	Ring or jewelry removal	42	0.01%	0	2.48	0.07	0.57	0.83	0.02	0.26	1.14	47.72	6.83
520	Water problem, other	454	0.13%	0	1.49	0.01	1.72	0.67	0.01	0.74	2.41	1,095.02	6.41
521	Water evacuation	73	0.02%	0	1.15	0.42	3.19	0.60	0.14	1.68	6.88	502.40	9.88
522	Water or steam leak	508	0.14%	0	2.00	0.00	1.95	0.83	0.01	0.80	2.65	1,347.90	5.83
531	Smoke or odor removal	2,592	0.73%	0	2.04	0.08	1.97	0.90	0.04	0.89	2.32	6,014.38	5.80
540	Animal problem, other	25	0.01%	0	0.44	0.08	1.24	0.20	0.04	0.64	0.85	21.35	6.72
541	Animal problem	48	0.01%	0	0.58	0.00	2.31	0.33	0.00	1.02	1.55	74.20	6.90
542	Animal rescue	211	0.06%	0	0.47	0.07	2.15	0.21	0.03	1.03	1.54	324.82	7.66
550	Public service assistance, other	1,095	0.31%	0	0.81	0.09	0.96	0.37	0.04	0.46	1.81	1,981.77	7.01
551	Assist police or other governmental agency	1,220	0.35%	0	1.16	0.16	1.58	0.49	0.06	0.73	2.35	2,871.90	6.65
552	Police matter	228	0.06%	0	1.80	0.13	1.05	0.68	0.06	0.49	2.23	508.00	7.45
553	Public service	1,314	0.37%	0	0.79	0.07	2.13	0.31	0.03	0.98	3.77	4,948.60	6.26
554	Assist invalid	3,030	0.86%	0	1.39	0.33	1.03	0.47	0.15	0.40	0.97	2,940.60	6.45
555	Defective elevator, no occupants	57	0.02%	0	3.70	0.00	1.63	1.61	0.00	0.72	1.40	79.78	5.44

Detailed Selected Statistics & Management Activity

Selected Coded Field: Incident Type

Report Period: 1/1/08 - 12/31/08

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
561	Unauthorized burning	1,766	0.50%	0	2.80	0.02	0.84	1.17	0.01	0.45	1.48	2,608.13	6.81
571	Cover assignment, standby, moveup	1,062	0.30%	0	1.15	0.15	1.58	0.79	0.07	0.72	5.17	5,485.68	12.67
600	Good intent call, other	3,902	1.10%	0	1.88	0.13	1.63	0.81	0.05	0.86	1.50	5,859.45	5.81
611	Dispatched & canceled en route	23,148	6.55%	0	1.03	0.38	0.90	0.84	0.43	0.46	0.54	12,488.50	3.22
621	Wrong location	228	0.06%	0	2.14	0.29	1.48	0.90	0.13	0.70	0.98	222.55	6.20
622	No incident found at dispatch address	4,215	1.19%	0	1.54	0.74	1.26	1.67	1.33	0.54	0.89	3,761.22	6.01
631	Authorized controlled burning	1,304	0.37%	0	3.07	0.09	0.91	1.29	0.04	0.47	1.40	1,822.67	7.40
632	Prescribed fire	114	0.03%	0	3.53	0.00	1.13	1.35	0.00	0.54	1.90	216.67	7.96
641	Vicinity alarm (incident in other location)	97	0.03%	0	1.97	0.10	1.42	0.74	0.04	0.64	1.54	149.60	6.18
650	Steam, other gas mistaken for smoke, other	274	0.08%	0	2.93	0.03	1.65	4.55	0.01	4.07	1.38	377.05	5.26
651	Smoke scare, odor of smoke	2,165	0.61%	0	3.46	0.10	2.36	2.72	0.05	2.06	2.85	6,180.33	6.27
652	Steam, vapor, fog or dust thought to be smoke	474	0.13%	0	3.30	0.07	2.53	1.40	0.04	1.11	5.26	2,492.65	5.34
653	Barbecue, tar kettle	123	0.03%	0	2.87	0.00	1.52	1.15	0.00	0.67	1.02	125.52	5.15
661	EMS call, party transported by non-fire agenc	1,704	0.48%	0	0.32	0.14	0.17	0.12	0.07	0.09	0.34	572.42	4.56
671	Hazmat release investigation w/ no hazmat	652	0.18%	0	2.34	0.03	2.08	1.01	0.02	0.94	1.97	1,285.42	6.30
672	Biological hazard, none found	16	0.00%	0	0.94	0.00	0.75	2.13	0.00	0.44	0.67	10.67	8.50
700	False alarm or false call, other	6,631	1.88%	0	1.56	0.07	1.46	5.14	1.62	0.68	0.93	6,187.45	6.04
710	Malicious, mischievous false call, other	624	0.18%	0	2.71	0.04	1.78	1.37	0.02	0.72	1.44	895.50	5.29
711	Municipal alarm system, malicious false alarm	170	0.05%	0	2.18	0.04	1.91	0.95	0.01	0.80	1.29	219.53	5.31
712	Direct tie to FD, malicious/false alarm	45	0.01%	0	1.49	0.07	0.69	1.22	0.02	0.29	0.43	19.57	5.36
713	Telephone, malicious false alarm	200	0.06%	0	4.30	0.12	1.25	2.11	0.07	0.60	1.42	284.03	5.64
714	Central station, malicious false alarm	198	0.06%	0	3.15	0.03	2.40	1.59	0.02	1.04	1.80	356.93	7.42
715	Local alarm system, malicious false alarm	188	0.05%	0	2.09	0.01	1.94	1.02	0.01	0.84	1.80	338.00	5.44
721	Bomb scare - no bomb	107	0.03%	0	1.06	0.12	2.21	0.68	0.08	1.19	4.29	459.17	12.74
730	System malfunction, other	1,871	0.53%	0	2.46	0.03	1.91	2.03	0.01	0.86	1.41	2,645.17	5.53
731	Sprinkler activation due to malfunction	330	0.09%	0	3.32	0.01	1.99	1.51	0.01	0.84	2.80	924.67	6.01
732	Extinguishing system activation due to malfun	40	0.01%	0	3.75	0.00	1.45	1.27	0.00	0.65	3.48	139.18	5.48
733	Smoke detector activation due to malfunction	2,698	0.76%	0	2.49	0.02	1.91	1.13	0.01	0.81	1.88	5,075.23	6.42
734	Heat detector activation due to malfunction	128	0.04%	0	2.65	0.02	2.41	1.17	0.01	1.10	1.93	246.93	5.59
735	Alarm system sounded due to malfunction	3,608	1.02%	0	2.60	0.02	2.13	1.13	0.01	0.86	1.86	6,707.28	6.70
736	CO detector activation due to malfunction	910	0.26%	0	1.11	0.05	1.68	0.54	0.57	1.21	1.19	1,086.77	7.14
740	Unintentional transmission of alarm, other	2,017	0.57%	0	2.31	0.04	1.84	1.50	0.02	0.82	0.96	1,934.85	5.66

Detailed Selected Statistics & Management Activity

Selected Coded Field: Incident Type

Report Period: 1/1/08 - 12/31/08

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
741	Sprinkler activation, no fire - unintentional	387	0.11%	0	3.30	0.02	2.18	1.65	0.01	0.90	2.86	1,107.13	5.76
742	Extinguishing system activation	23	0.01%	0	2.04	0.00	1.09	1.52	0.00	0.57	1.62	37.15	6.09
743	Smoke detector activation, no fire - unintent	3,410	0.96%	0	2.94	0.02	2.00	1.93	0.01	0.83	1.49	5,081.10	6.15
744	Detector activation, no fire - unintentional	1,322	0.37%	0	2.91	0.01	1.76	1.42	0.01	0.82	4.95	6,544.62	5.33
745	Alarm system sounded, no fire - unintentional	5,879	1.66%	0	2.45	0.02	2.15	1.27	0.01	1.08	1.41	8,276.75	5.87
746	Carbon monoxide detector activation, no CO	853	0.24%	0	1.45	0.07	1.66	0.90	0.03	0.64	1.48	1,264.20	7.09
751	Biological hazard, malicious false report	2	0.00%	0	0.00	0.00	5.00	0.00	0.00	1.50	1.72	3.43	4.00
800	Severe weather or natural disaster, other	292	0.08%	0	1.24	0.08	3.24	0.62	0.04	1.33	8.64	2,523.33	5.61
811	Earthquake assessment	2	0.00%	0	0.00	0.00	1.50	0.00	0.00	1.00	0.33	0.65	2.00
812	Flood assessment	140	0.04%	0	1.61	0.06	3.05	0.56	0.02	1.26	88.33	12,366.02	5.77
813	Wind storm, tornado/hurricane assessment	233	0.07%	0	2.37	0.22	3.36	0.80	0.10	1.68	14.16	3,299.15	7.94
814	Lightning strike (no fire)	279	0.08%	0	2.16	0.08	3.03	1.28	0.04	1.50	3.35	934.62	10.04
815	Severe weather or natural disaster standby	324	0.09%	0	2.13	0.21	4.12	0.78	0.08	1.77	10.27	3,327.50	4.32
900	Special type of incident, other	1,578	0.45%	0	1.55	0.12	1.11	0.96	0.09	0.49	5.34	8,426.20	10.28
911	Citizen complaint	262	0.07%	0	1.18	0.06	1.33	4.48	0.03	0.73	1.37	359.47	6.27
Totals		353,547	100.00%	225	1.57	1.05	0.73	1.51	1.59	0.58	2.71	958,018.05	7.34
Mutual Aid Given Incidents		30,676											